

CONCLUSION

The present study confirms the hypoglycemic activity of *Eleocharpus tectorius* on Sprague Dawley rats. Thus, the study substantiates traditional claim of *Eleocharpus tectorius* as an anti-diabetic drug. However, further studies are needed to elucidate the mechanism(s) of action and to identify the active principle/s responsible for producing this activity.

REFERENCES

1. Kharroubi AT, Darwish HM (2015) Diabetes mellitus: The epidemic of the century. *World J Diabetes* 6(6): 850-867.
2. Thomas CC, Philipson LH (2015) Update on Diabetes Classification. *Med Clin North Am* 99(1): 1-16.
3. Sharma S, Mathew AB, Chugh J (2017) miRNAs: Nanomachines that Micromanage the Pathophysiology of Diabetes Mellitus. *Adv Clin Chem* 82: 199-264.
4. Marudamuthu AS, Leela VP (2008) Effect of pterostilbene on lipids and lipid profiles for diabetes, in Streptozotocin-Nicotinamide induced type 2 diabetes mellitus. *J Appl Biomed* 6: 31-37.
5. Asha Tukappa NK, Londonkar RL (2014) Standardization of extraction process for *Rumex vesicarius* L. *Int J Sci Eng Res* 5: 1061-1064.
6. Hanan B, Akram H, Hassan R, Ali H, Zeinab S, et al. (2013) Techniques for the Extraction of Bioactive Compounds from Lebanese *Urtica dioica*. *Am J Phyto Clin Therap* 1(6): 507-513.
7. Uma B, Radha Y, Pophale P, Mandar Z, Somani RS (2011) Study of CNS depressant and behavioral activity of an ethanol extract of *Achyranthes Aspera* (Chirchita) in mouse model. *Ann Neurosci* 18: 44-47.
8. Mooradian AD (2009) Dyslipidemia in type 2 diabetes mellitus. *Nature Clinical Practice Endocrinol Metab* 5(3): 150-159.
9. Uttra KM, Devrajani BR, Shah Syed Z Ali, Devrajani T, Das T, et al. (2011) Lipid profile of patients with diabetes mellitus (a multidisciplinary study) *World Appl Sci J* 12(9): 1382-1384.
10. Deguchi Y, Miyazaki K (2010) Anti-hyperglycemic and antihyperlipidemic effects of guava leaf extract. *Nutr Metab* 7(9): 1-10.
11. Calisti L, Tognetti S (2005) Measure of glycosylated hemoglobin. *Acta Biomedica de l'Ateneo Parmense* 76(3): 59-62.
12. Kuppusamy A, Muthusamy S, Thirumalaisamy SA, Varadharajan S, Ramasamy K, et al. (2011) In vitro (α -amylase and α glucosidase inhibition) and In vivo antidiabetic activity of phytic acid in STZ-NIC induced type 2 diabetic rats. *J Complement Integr Med* 8(1): 1-12.
13. Reaven G, Abbasi F, McLaughlin T (2004) Obesity, insulin resistance, and cardiovascular disease. *Recent Prog Horm Res* 59: 207-223.
14. Rang HP, Dale MM, Ritter JM, Flower R (2007) *Pharmacology*, Churchill Livingstone, Philadelphia, Pa, USA.
15. El-Demerdash FM, Yousef MI, El-Naga NI (2005) Biochemical study on the hypoglycemic effects of onion and garlic in alloxan-induced diabetic rats. *Food Chem Toxicol* 43: 57-63.
16. Jia J, Zhang X, Hu Y, Wu Y, Wang Q, et al. (2009) Evaluation of in vivo antioxidant activities of *Ganoderma lucidum* polysaccharide in STZ-diabetic rats. *Food Chem* 115: 32-36.